



MAK Metallurgy Heavy Bearing Manufact...



15 mm x 24 mm x 5 mm Hot sale ntn koyo
nachi deep groove ball bearing 6802 6802zz
6802-2rs

Bearing No. 6802

6802 Bearing 2D drawings and 3D CAD models

Size	15x24x5 mm
Bore Diameter	15 mm
Outer Diameter	24 mm
Width	5 mm
d	15 mm
D	24 mm
B	5 mm
C	5 mm
r min.	0.3 mm
da min.	17 mm
Da max.	22 mm
ra max.	0.3 mm
Weight	0.007 Kg
Basic dynamic load rating (C)	2,08 kN
Basic static load rating (C0)	1,26 kN
(Grease) Lubrication Speed	27000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0.009
EAN	4991893801828
Product Group	B00308
Enclosure	Open



MAK Metallurgy Heavy Bearing Manufact...

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 24MM Outside Diameter; 5MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nachi.com
Manufacturer Item Number	6802 BNLS
Weight / LBS	0.02
Outer Race Width	0.197 Inch 5 Millimeter
Bore	0.591 Inch 15 Millimeter
Outside Diameter	0.945 Inch 24 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	15 mm
Width	5 mm
Fillet Radius/Chamfer	0.3 mm
Dynamic Load Rating	2,080 N
Static Load Rating	1,260 N
Limiting Speed - Grease	28,000 rpm



MAK Metallurgy Heavy Bearing Manufact...

Limiting Speed - Oil	34,000 rpm
Factor f_0	15.8
Radial Clearance	0.003 to 0.018 mm
d_a (min)	17 mm
D_a (max)	22 mm
r_a (max)	0.3 mm